Illuminants

LIGHTS FOR LIVING

The most common function of a bulb is lighting.
With the development of society,
light bulb has also played different purposes,
such as landscaping and decoration.



OVERVIEW
LED BULBS


E14 / LED / C32 ***365***


E14 / LED / S35 ***366***


E14 / LED / S45 ***367***


E14 / LED / T8 ***368***


E27 / LED / G45 ***370 - 371***


E27 / LED / A19 ***372 - 374***


E27 / LED / G80 ***375 - 378***


E27 / LED / ST58 ***378 - 380***


E27 / LED / ST64 ***381-384***


E27 / LED / T45 ***384 - 386***


E12 / LED / C32 ***387***


E12 / LED / S35 ***388***


E12 / LED / S45 ***389***


E12 / LED / T8 ***390-391***


E12 / LED / C7 ***391***


E26 / LED / G45 ***393-394***


E26 / LED / A19 ***395-397***


E26 / LED / G80 ***397-400***


E26 / LED / ST58 ***401-404***


E26 / LED / ST64 ***404-406***


E26 / LED / T45 ***407-408***

E14
C32

A+

150 lm
LUMEN

C32142C-2
(2700K)

C32142C-4
(4000K)



C32142C E14 / LED / C32

Size	ϕ32×H98mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

E14
C32

A+

350 lm
LUMEN

C32144C-2
(2700K)

C32144C-4
(4000K)



C32144C E14 / LED / C32

Size	ϕ32×H98mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

E14
C32

A+

500 lm
LUMEN

C32146C-2
(2700K)

C32146C-4
(4000K)



C32146C E14 / LED / C32

Size	ϕ32×H98mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

S35142C E14 / LED / S35

Size	ϕ35×H98mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
S35

A+

150 lm
LUMEN

S35142C-2
(2700K)

S35142C-4
(4000K)

S35144C E14 / LED / S35

Size	ϕ35×H98mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
S35

A+

350 lm
LUMEN

S35144C-2
(2700K)

S35144C-4
(4000K)

S35146C E14 / LED / S35

Size	ϕ35×H98mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
S35

A+

500 lm
LUMEN

S35146C-2
(2700K)

S35146C-4
(4000K)

A+

E14
S45

150 lm
LUMEN

S45142C-2
(2700K)

S45142C-4
(4000K)



S45142C E14 / LED / S45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

T8142C E14 / LED / T8

Size	ϕ25×H88mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
T8

A+

150 lm
LUMEN

T8142C-2
(2700K)

T8142C-4
(4000K)

A+

E14
S45

350 lm
LUMEN

S45144C-2
(2700K)

S45144C-4
(4000K)



S45144C E14 / LED / S45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

T8144C E14 / LED / T8

Size	ϕ25×H88mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
T8

A+

350 lm
LUMEN

T8144C-2
(2700K)

T8144C-4
(4000K)

A+

E14
S45

500 lm
LUMEN

S45146C-2
(2700K)

S45146C-4
(4000K)



S45146C E14 / LED / S45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

T8146C E14 / LED / T8

Size	ϕ25×H88mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E14
T8

A+

500 lm
LUMEN

T8146C-2
(2700K)

T8146C-4
(4000K)



Illuminants

G45272C E27 / LED / G45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G45

A+

150 lm
LUMEN

G45272C-2
(2700K)

G45272C-4
(4000K)

G45274C E27 / LED / G45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G45

A+

350 lm
LUMEN

G45274C-2
(2700K)

G45274C-4
(4000K)

G45276C E27 / LED / G45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G45

A+

500 lm
LUMEN

G45276C-2
(2700K)

G45276C-4
(4000K)

A+

E27
G45

150 lm
LUMEN

G45272A-2
(2700K)

G45272A-4
(4000K)



G45272A E27 / LED / G45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

E27
G45

350 lm
LUMEN

G45274A-2
(2700K)

G45274A-4
(4000K)



G45274A E27 / LED / G45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

E27
G45

500 lm
LUMEN

G45276A-2
(2700K)

G45276A-4
(4000K)



G45276A E27 / LED / G45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A19272C E27 / LED / A19

Size	ϕ60×H105mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
A19

A+

150 lm
LUMEN

A19272C-2
(2700K)

A19272C-4
(4000K)

A19274C E27 / LED / A19

Size	ϕ60×H105mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
A19

A+

350 lm
LUMEN

A19274C-2
(2700K)

A19274C-4
(4000K)

A19276C E27 / LED / A19

Size	ϕ60×H105mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
A19

A+

500 lm
LUMEN

A19276C-2
(2700K)

A19276C-2
(4000K)



A+

E27
A19

700 lm
LUMEN

A19278C-2
(2700K)

A19278C-4
(4000K)



A19278C E27 / LED / A19

Size	ϕ60×H105mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

A+

E27
A19

150 lm
LUMEN

A19272A-2
(2700K)

A19272A-4
(4000K)



A19272A E27 / LED / A19

Size	ϕ60×H105mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

E27
A19

350 lm
LUMEN

A19274A-2
(2700K)

A19274A-4
(4000K)



A19274A E27 / LED / A19

Size	ϕ60×H105mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A19276A E27 / LED / A19

Size	ϕ60×H105mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
A19

A+

500 lm
LUMEN

A19276A-2
(2700K)

A19276A-4
(4000K)

A19278A E27 / LED / A19

Size	ϕ60×H105mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
A19

A+

700 lm
LUMEN

A19278A-2
(2700K)

A19278A-4
(4000K)



G80274C E27 / LED / G80

Size	ϕ80×H120mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G80

A+

350 lm
LUMEN

G80274C-2
(2700K)

G80274C-4
(4000K)

G80276C E27 / LED / G80

Size	ϕ80×H120mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G80

A+

500 lm
LUMEN

G80276C-2
(2700K)

G80276C-4
(4000K)

A+

150 lm
LUMEN

G80272C-2
(2700K)

G80272C-4
(4000K)

E27
G80



G80272C E27 / LED / G80

Size	ϕ80×H120mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

G80278C E27 / LED / G80

Size	ϕ80×H120mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
G80

A+

700 lm
LUMEN

G80278C-2
(2700K)

G80278C-4
(4000K)

A+

150 lm
LUMEN

G80272A-2 (2700K)
G80272A-4 (4000K)

E27
G80



G80272A E27 / LED / G80

Size	ϕ80×H120mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

350 lm
LUMEN

G80274A-2 (2700K)
G80274A-4 (4000K)

E27
G80



G80274A E27 / LED / G80

Size	ϕ80×H120mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

500 lm
LUMEN

G80276A-2 (2700K)
G80276A-4 (4000K)

E27
G80



G80276A E27 / LED / G80

Size	ϕ80×H120mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

G80278A E27 / LED / G80

Size	ϕ80×H120mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
G80

A+

700 lm
LUMEN

G80278A-2 (2700K)
G80278A-4 (4000K)

ST58272C E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
ST58

A+

150 lm
LUMEN

ST58272C-2 (2700K)
ST58272C-4 (4000K)

ST58274C E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
ST58

A+

350 lm
LUMEN

ST58274C-2 (2700K)
ST58274C-4 (4000K)

A+

E27
ST58

500 lm
LUMEN

ST58276C-2
(2700K)

ST58276C-4
(4000K)



ST58276C E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

ST58274A E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
ST58

A+

350 lm
LUMEN

ST58274A-2
(2700K)

ST58274A-4
(4000K)

A+

E27
ST58

700 lm
LUMEN

ST58278C-2
(2700K)

ST58278C-4
(4000K)



ST58278C E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

ST58276A E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
ST58

A+

500 lm
LUMEN

ST58276A-2
(2700K)

ST58276A-4
(4000K)

A+

E27
ST58

150 lm
LUMEN

ST58272A-2
(2700K)

ST58272A-4
(4000K)



ST58272A E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

ST58278A E27 / LED / ST58

Size	ϕ58×H128mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
ST58

A+

700 lm
LUMEN

ST58278A-2
(2700K)

ST58278A-4
(4000K)

Aonelite

A+

E27
ST64

150 lm
LUMEN

ST64272C-2
(2700K)

ST64272C-4
(4000K)



ST64272C E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

A+

E27
ST64

350 lm
LUMEN

ST64274C-2
(2700K)

ST64274C-4
(4000K)



ST64274C E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

A+

E27
ST64

500 lm
LUMEN

ST64276C-2
(2700K)

ST64276C-4
(4000K)



ST64276C E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



ST64278C E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
ST64

A+

700 lm
LUMEN

ST64278C-2
(2700K)

ST64278C-4
(4000K)

A+

E27
ST64

150 lm
LUMEN

ST64272A-2
(2700K)

ST64272A-4
(4000K)



ST64272A E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

E27
ST64

350 lm
LUMEN

ST64274A-2
(2700K)

ST64274A-4
(4000K)



ST64274A E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber


A+

E27
ST64

500 lm
LUMEN

ST64276A-2
(2700K)

ST64276A-4
(4000K)




ST64276A E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

ST64278A E27 / LED / ST64

Size	ϕ64×H140mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
ST64

A+

700 lm
LUMEN

ST64278A-2
(2700K)

ST64278A-4
(4000K)

T45272C E27 / LED / T45

Size	ϕ45×H110mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
T45

A+

150 lm
LUMEN

T45272C-2
(2700K)

T45272C-4
(4000K)

T45274C E27 / LED / T45

Size	ϕ45×H110mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear



E27
T45

A+

350 lm
LUMEN

T45274C-2
(2700K)

T45274C-4
(4000K)

A+

E27
T45

500 lm
LUMEN

T45276C-2
(2700K)

T45276C-4
(4000K)



T45276C E27 / LED / T45

Size	ϕ45×H110mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Clear

A+

E27
T45

150 lm
LUMEN

T45272A-2
(2700K)

T45272A-4
(4000K)



T45272A E27 / LED / T45

Size	ϕ45×H110mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

A+

E27
T45

350 lm
LUMEN

T45274A-2
(2700K)

T45274A-4
(4000K)



T45274A E27 / LED / T45

Size	ϕ45×H110mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber

T45276A E27 / LED / T45

Size	ϕ45×H110mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	220-240V 50Hz
RA	>83
Lifetime	25000H
Finish	Amber



E27
T45

A+

500 lm
LUMEN

T45276A-2
(2700K)

T45276A-4
(4000K)



A+

E12
C32

150 lm
LUMEN

C32122C-2
(2700K)

C32122C-4
(4000K)



C32122C E12 / LED / C32

Size	ϕ32×H98mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E12
C32

350 lm
LUMEN

C32124C-2
(2700K)

C32124C-4
(4000K)



C32124C E12 / LED / C32

Size	ϕ32×H98mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E12
C32

500 lm
LUMEN

C32126C-2
(2700K)

C32126C-4
(4000K)



C32126C E12 / LED / C32

Size	ϕ32×H98mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

S35122C E12 / LED / S35

Size	ϕ35×H98mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
S35

A+

150 lm
LUMEN

S35122C-2
(2700K)

S35122C-4
(4000K)

S35124C E12 / LED / S35

Size	ϕ35×H98mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
S35

A+

350 lm
LUMEN

S35124C-2
(2700K)

S35124C-4
(4000K)

S35126C E12 / LED / S35

Size	ϕ35×H98mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
S35

A+

500 lm
LUMEN

S35126C-2
(2700K)

S35126C-4
(4000K)

A+

E12
S45

150 lm
LUMEN

S45122C-2
(2700K)

S45122C-4
(4000K)



S45122C E12 / LED / S45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T8122C E12 / LED / T8

Size	ϕ25×H88mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
T8

A+

150 lm
LUMEN

T8122C-2
(2700K)

T8122C-4
(4000K)

A+

E12
S45

350 lm
LUMEN

S45124C-2
(2700K)

S45124C-4
(4000K)



S45124C E12 / LED / S45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T8124C E12 / LED / T8

Size	ϕ25×H88mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
T8

A+

350 lm
LUMEN

T8124C-2
(2700K)

T8124C-4
(4000K)

A+

E12
S45

500 lm
LUMEN

S45126C-2
(2700K)

S45126C-4
(4000K)



S45126C E12 / LED / S45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T8126C E12 / LED / T8

Size	ϕ25×H88mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E12
T8

A+

500 lm
LUMEN

T8126C-2
(2700K)

T8126C-4
(4000K)

Aonelite

A+

E12
T8

70 lm
LUMEN

T8121C-2
(2700K)

T8121C-4
(4000K)



Night light

T8121C E12 / LED / T8

Size	ϕ20×H60mm
Wattage	1W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E12
C7

50 lm
LUMEN

C7121C-2
(2700K)

C7121C-4
(4000K)



Night light

C7121C E12 / LED / C7

Size	ϕ23×H58mm
Wattage	1W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
G45

150 lm
LUMEN

G45262C-2
(2700K)

G45262C-4
(4000K)



G45262C E26 / LED / G45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

G45262A E26 / LED / G45

Size	ϕ45×H78mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
G45

A+

150 lm
LUMEN

G45262A-2
(2700K)

G45262A-4
(4000K)

A+

E26
G45

350 lm
LUMEN

G45264C-2
(2700K)

G45264C-4
(4000K)



G45264C E26 / LED / G45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

G45264A E26 / LED / G45

Size	ϕ45×H78mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
G45

A+

350 lm
LUMEN

G45264A-2
(2700K)

G45264A-4
(4000K)

A+

E26
G45

500 lm
LUMEN

G45266C-2
(2700K)

G45266C-4
(4000K)



G45266C E26 / LED / G45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

G45266A E26 / LED / G45

Size	ϕ45×H78mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
G45

A+

500 lm
LUMEN

G45266A-2
(2700K)

G45266A-4
(4000K)

A+

E26
A19

150 lm
LUMEN

A19262C-2
(2700K)

A19262C-4
(4000K)



A19262C E26 / LED / A19

Size	ϕ60×H105mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
A19

350 lm
LUMEN

A19264C-2
(2700K)

A19264C-4
(4000K)



A19264C E26 / LED / A19

Size	ϕ60×H105mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
A19

500 lm
LUMEN

A19266C-2
(2700K)

A19266C-4
(4000K)



A19266C E26 / LED / A19

Size	ϕ60×H105mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A19268C E26 / LED / A19

Size	ϕ60×H105mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
A19

A+

700 lm
LUMEN

A19268C-2
(2700K)

A19268C-4
(4000K)

A19262A E26 / LED / A19

Size	ϕ60×H105mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
A19

A+

150 lm
LUMEN

A19262A-2
(2700K)

A19262A-4
(4000K)

A19264A E26 / LED / A19

Size	ϕ60×H105mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
A19

A+

350 lm
LUMEN

A19264A-2
(2700K)

A19264A-4
(4000K)

A+

E26
A19

500 lm
LUMEN

A19266A-2
(2700K)

A19266A-4
(4000K)



A19266A E26 / LED / A19

Size	ϕ60×H105mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
A19

700 lm
LUMEN

A19268A-2
(2700K)

A19268A-4
(4000K)



A19268A E26 / LED / A19

Size	ϕ60×H105mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
G80

150 lm
LUMEN

G80262C-2
(2700K)

G80262C-4
(4000K)



G80262C E26 / LED / G80

Size	ϕ80×H120mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

G80264C E26 / LED / G80

Size	ϕ80×H120mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
G80

A+

350 lm
LUMEN

G80264C-2
(2700K)

G80264C-4
(4000K)

G80266C E26 / LED / G80

Size	ϕ80×H120mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
G80

A+

500 lm
LUMEN

G80266C-2
(2700K)

G80266C-4
(4000K)

G80268C E26 / LED / G80

Size	ϕ80×H120mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
G80

A+

700 lm
LUMEN

G80268C-2
(2700K)

G80268C-4
(4000K)

A+

E26
G80

150 lm
LUMEN

G80262A-2
(2700K)

G80262A-4
(4000K)



G80262A E26 / LED / G80

Size	ϕ80×H120mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
G80

350 lm
LUMEN

G80264A-2
(2700K)

G80264A-4
(4000K)



G80264A E26 / LED / G80

Size	ϕ80×H120mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
G80

500 lm
LUMEN

G80266A-2
(2700K)

G80266A-4
(4000K)



G80266A E26 / LED / G80

Size	ϕ80×H120mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

G80268A E26 / LED / G80

Size	ϕ80×H120mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
G80

A+

700 lm
LUMEN

G80268A-2
(2700K)

G80268A-4
(4000K)



A+

E26
ST58

150 lm
LUMEN

ST58262C-2
(2700K)

ST58262C-4
(4000K)



ST58262C E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
ST58

350 lm
LUMEN

ST58264C-2
(2700K)

ST58264C-4
(4000K)



ST58264C E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
ST58

500 lm
LUMEN

ST58266C-2
(2700K)

ST58266C-4
(4000K)



ST58266C E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



ST58268C E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
ST58

A+

700 lm
LUMEN

ST58268C-2
(2700K)

ST58268C-4
(4000K)

A+

E26
ST58

150 lm
LUMEN

ST58262A-2
(2700K)

ST58262A-4
(4000K)



ST58262A E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
ST58

350 lm
LUMEN

ST58264A-2
(2700K)

ST58264A-4
(4000K)



ST58264A E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

A+

E26
ST58

500 lm
LUMEN

ST58266A-2
(2700K)

ST58266A-4
(4000K)



ST58266A E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

ST58268A E26 / LED / ST58

Size	ϕ58×H128mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
ST58

A+

700 lm
LUMEN

ST58268A-2
(2700K)

ST58268A-4
(4000K)

ST64262C E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
ST64

A+

150 lm
LUMEN

ST64262C-2
(2700K)

ST64262C-4
(4000K)

ST64264C E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear



E26
ST64

A+

350 lm
LUMEN

ST64264C-2
(2700K)

ST64264C-4
(4000K)

A+

E26
ST64

500 lm
LUMEN

ST64266C-2
(2700K)

ST64266C-4
(4000K)



ST64266C E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
ST64

700 lm
LUMEN

ST64268C-2
(2700K)

ST64268C-4
(4000K)



ST64268C E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

A+

E26
ST64

150 lm
LUMEN

ST64262A-2
(2700K)

ST64262A-4
(4000K)



ST64262A E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber

ST64264A E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
ST64

A+


350 lm
LUMEN

ST64264A-2
(2700K)

ST64264A-4
(4000K)

ST64266A E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
ST64

A+


500 lm
LUMEN

ST64266A-2
(2700K)

ST64266A-4
(4000K)

ST64268A E26 / LED / ST64

Size	ϕ64×H140mm
Wattage	8W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
ST64

A+

700 lm
LUMEN

ST64268A-2
(2700K)

ST64268A-4
(4000K)

A+

E26
T45

150 lm
LUMEN

T45262C-2
(2700K)

T45262C-4
(4000K)



T45262C E26 / LED / T45

Size	ϕ45×H110mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T45262A E26 / LED / T45

Size	ϕ45×H110mm
Wattage	2W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
T45

A+

150 lm
LUMEN

T45262A-2
(2700K)

T45262A-4
(4000K)

A+

E26
T45

350 lm
LUMEN

T45264C-2
(2700K)

T45264C-4
(4000K)



T45264C E26 / LED / T45

Size	ϕ45×H110mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T45264A E26 / LED / T45

Size	ϕ45×H110mm
Wattage	4W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
T45

A+

350 lm
LUMEN

T45264A-2
(2700K)

T45264A-4
(4000K)

A+

E26
T45

500 lm
LUMEN

T45266C-2
(2700K)

T45266C-4
(4000K)



T45266C E26 / LED / T45

Size	ϕ45×H110mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Clear

T45266A E26 / LED / T45

Size	ϕ45×H110mm
Wattage	6W
Color temperature	2700K/4000K
Operating voltage	120V 60Hz
RA	>83
Lifetime	15000H
Finish	Amber



E26
T45

A+

500 lm
LUMEN

T45266A-2
(2700K)

T45266A-4
(4000K)